

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	20	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near6 ((multiple or plurality) near3 (server\$1 or host\$1 or node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:30
L2	0	L1 same (reset\$4 near3 (server\$1 or device\$1 or node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:29
L3	0	L1 same reset\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:05
L4	56	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) same ((multiple or plurality) near3 (server\$1 or host\$1 or node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:06
L5	0	4 same (reset\$4 near3 (server\$1 or device\$1 or node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:05
L6	0	4 same reset\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:05
L7	4	(transfer\$4 near3 (data or information)) same 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:08
L8	161	(transfer\$4 near3 (data or information)) same ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:08
L9	57	(transfer\$4 near3 (data or information)) with ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:09
L10	0	8 same (farme near2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:29

L11	24	8 same address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:11
L12	2	9 with address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:09
L13	24	((server\$1 or node\$1 or device\$1) near2 address) same ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:12
L14	10	((server\$1 or node\$1 or device\$1) near2 address) with ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:13
L15	26	("5954796").URPN.	USPAT	OR	OFF	2005/07/13 15:16
L16	0	8 same (frame near2 address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:29
L17	220	(reset\$4 near3 (server\$1 or device\$1 or node\$1)) near6 (frame\$1 or packet41)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:30
L18	3	17 same ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:31
L19	125	(reset near2 (command or instruction)) near6 (frame or packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:36
L20	25	19 same (server\$ or node\$1 or host\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:32
L21	21	19 with (server\$ or node\$1 or host\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:32

L22	0	(reset near2 (frame or packet)) near6 ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:45
L23	5	(reset near2 (frame or packet)) near6 ((fibre adj channel) or FC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:37
L24	18	(command or instruction) near3 (reset adj (frame or packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:44
L25	366	reset\$4 near6 (network near2 device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:58
L26	4	25 same (reset near2 (frame or packet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:46
L27	40	25 same (frame or packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:59
L28	16	25 with (frame or packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:46
L29	0	25 same ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:49
L30	0	25 same ((fibre adj channel) or FC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:49
L31	11746	reset\$4 near6 ((network near2 device\$1) or node\$1 or server\$1 or host\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:59

L32	1111	31 same (frame or packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:59
L33	589	31 with (frame or packet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:59
L34	10	32 and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 16:03
L35	93	31 and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 16:02
L36	6	33 and 713/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 16:02
L37	8	32 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 16:08
L38	5	33 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 16:12
L39	16	32 and 710/104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 16:15
L40	12	33 and 710/104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 16:16
L41	0	33 and 714/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 16:16

L42	0	32 and 714/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 16:16
L43	1	32 and 714/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 16:17
L44	1	33 and 714/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 16:17
L45	0	32 and 714/36.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 16:17
L46	0	33 and 714/36.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 16:18
L47	12	32 and 709/220.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 16:20
L48	10	33 and 709/220.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 16:20

S2	2	"6188973".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:40
S3	2	"6115814".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:40
S4	2	"5956665".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:40
S5	2	"5892973".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:41
S6	2	"5790782".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:43
S7	2	"6061244".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:42
S8	2	"6050658".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:42
S9	2	"5183749".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:42
S10	2	"5814762".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:42
S11	2	"5483423".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:44

S12	2	"5313369".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:44
S13	2	"20020008427"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:44
S14	2	"20020044561"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:45
S15	2	"20020010883"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:45
S16	2	"20020044562"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:45
S17	3	"20020046276"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:46
S18	4	"20020054477"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:47
S19	2	"20020043877"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:47
S20	2	"20020004342"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:47
S21	2	"20020129182"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:48

S22	2	"20030056048"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:48
S23	2	"20020159311"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:49
S24	2	"6000020".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:50
S25	2	"5892954".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:50
S26	2	"5933824".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:50
S27	2	"6044367".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:51
S28	2	"6314488".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:51
S29	2	"6330690".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 07:52
S30	2	"6269288".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 09:00
S31	4	"942405".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 09:01

S32	67	08/942405	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 09:01
-----	----	-----------	---	----	-----	------------------

S33	281	("4057847" "4100597" "4449182" "4672535" "4692918" "4695946" "4707803" "4769764" "4774502" "4821180" "4835737" "4894792" "4949245" "4999787" "5006961" "5007431" "5033048" "5051720" "5073932" "5103391" "5118970" "5121500" "5136708" "5136715" "5138619" "5157663" "5210855" "5245615" "5247683" "5253348" "5265098" "5266838" "5269011" "5272382" "5272584" "5276863" "5277615" "5280621" "5283905" "5307354" "5311397" "5311451" "5317693" "5329625" "5337413" "5351276" "5367670" "5379184" "5386567" "5388267" "5402431" "5404494" "5423025" "5430717" "5430845" "5432715" "5432946" "5438678" "5440748" "5448723" "5455933" "5460441" "5463766" "5471617" "5471634" "5473499" "5483419" "5485550" "5487148" "5491791" "5493574" "5493666" "5513314" "5513339" "5517646" "5519851" "5526289" "5528409" "5530810" "5533193" "5535326" "5542055" "5546272" "5548712" "5555510" "5559764" "5559958" "5559965" "5560022" "5564024" "5566299" "5566339" "5568610" "5568619" "5572403" "5577205" "5579487" "5579491" "5579528" "5581712" "5581714" "5584030" "5586250" "5588121" "5588144" "5592611" "5596711" "5598407" "5602758" "5606672" "5608876" "5615207" "5621159" "5621892" "5622221" "5625238" "5627962" "5628028" "5630076" "5631847" "5632021" "5636341" "5638289" "5644470" "5644731" "5644731".PN. OR ("5651006" "5652832" "5652839" "5652892" "5652908" "5655081" "5655083" "5655148" "5659682" "5664118" "5664119" "5666538" "5668943" "5668992" "5669009" "5671371" "5675723" "5680288" "5684671" "5689637" "5696895" "5696899" "5696949" "5696970" "5701417" "5703031" "5708775" "5708776"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/08 09:03
-----	-----	--	------------------------------	----	-----	------------------

S34	17	(Nouri and Ahmad).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 09:14
S35	1646	((((fibre or fiber) adj channel) or FC) near3 frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 09:16
S36	96	S35 same (reset\$4 or (reset near2 (mode or command\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 09:17
S37	18	S35 with (reset\$4 or (reset near2 (mode or command\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 09:20
S38	910	(receiv\$3 near6 (frame\$1 or packet\$1)) same (reset near2 (signal\$1 or command\$1 or indication\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 09:23
S39	402	(receiv\$3 near6 (frame\$1 or packet\$1)) with (reset near2 (signal\$1 or command\$1 or indication\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 09:23
S40	246	(receiv\$3 near6 frame\$1) with (reset near2 (signal\$1 or command\$1 or indication\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 09:25
S41	519	(receiv\$3 near6 frame\$1) same (reset near2 (signal\$1 or command\$1 or indication\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 09:40
S42	5	S41 same (((fibre or fiber) adj channel) or FC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 09:36
S43	3	S40 with (((fibre or fiber) adj channel) or FC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 09:26

S44	10	S41 same (((fibre adj channel) or FC) or ((fibre adj channel adj standard) or FCS))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:45
S45	3	S40 with (((fibre adj channel) or FC) or ((fibre adj channel adj standard) or FCS))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 09:38
S46	910	(receiv\$3 near6 (frame\$1 or packet\$1)) same (reset near2 (signal\$1 or command\$1 or indication\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 09:43
S47	402	(receiv\$3 near6 (frame\$1 or packet\$1)) with (reset near2 (signal\$1 or command\$1 or indication\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 09:41
S48	13	S46 same (((fibre adj channel) or FC) or ((fibre adj channel adj standard) or FCS))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 09:43
S49	5	S47 with (((fibre adj channel) or FC) or ((fibre adj channel adj standard) or FCS))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 09:41
S50	1111	(receiv\$3 near6 (frame\$1 or packet\$1)) same (reset near2 (signal\$1 or command\$1 or indication\$1 or bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:25
S51	476	(receiv\$3 near6 (frame\$1 or packet\$1)) with (reset near2 (signal\$1 or command\$1 or indication\$1 or bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:08
S52	18	S50 same (((fibre adj channel) or FC) or ((fibre adj channel adj standard) or FCS))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:18
S53	5	S51 with (((fibre adj channel) or FC) or ((fibre adj channel adj standard) or FCS))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 09:44

S54	53	S50 same (reset\$4 near3 (processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:17
S55	13	S51 with (reset\$4 near3 (processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:17
S56	46	("5136715").URPN.	USPAT	OR	OFF	2005/06/08 09:57
S57	9	S54 same interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:05
S58	9	S54 same interrupt\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:23
S59	23	S50 same (generat\$3 near6 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:11
S60	2	S51 with (generat\$3 near6 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:09
S61	37	S50 same (interrupt\$1 near6 reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:12
S62	3	S51 with (interrupt\$1 near6 reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:11
S63	74	S50 same (reset\$4 near6 (processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:17
S64	20	S51 with (reset\$4 near6 (processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:26

S65	4	S63 same (((fibre adj channel) or FC) or ((fibre adj channel adj standard) or FCS))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:18
S66	2	S64 with (((fibre adj channel) or FC) or ((fibre adj channel adj standard) or FCS))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:18
S67	17	("4542380").URPN.	USPAT	OR	OFF	2005/06/08 10:19
S68	21	S63 same interrupt\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:28
S69	383	(receiv\$3 near6 (frame\$1 or packet\$1)) same (reset near2 (command\$1 or indication\$1 or bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:25
S70	149	(receiv\$3 near6 (frame\$1 or packet\$1)) with (reset near2 (command\$1 or indication\$1 or bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:25
S71	42	S69 same (reset\$4 near6 (processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:26
S72	10	S70 with (reset\$4 near6 (processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:26
S73	14	S71 same interrupt\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 10:28

S74	34	(US-20020008427-\$ or US-20020044561-\$ or US-20020010883-\$ or US-20020044562-\$ or US-20020046276-\$ or US-20020054477-\$ or US-20020043877-\$ or US-20020004342-\$ or US-20020129182-\$ or US-20030056048-\$ or US-20020159311-\$).did. or (US-6658504-\$ or US-6115814-\$ or US-5956665-\$ or US-5892973-\$ or US-6061244-\$ or US-6050658-\$ or US-5183749-\$ or US-5814762-\$ or US-5790782-\$ or US-5483423-\$ or US-5313369-\$ or US-6000020-\$ or US-5892954-\$ or US-5933824-\$ or US-6044367-\$ or US-6314488-\$ or US-6330690-\$ or US-6269288-\$ or US-6065053-\$ or US-6122746-\$ or US-5638518-\$ or US-6081847-\$ or US-5136715-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/06/08 11:05
S75	4	S74 and S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:11
S76	12	S74 and ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:27
S77	5	S76 and frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:17
S78	4	S75 and frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:17
S79	28	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near6 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:29
S80	1	S79 same S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:29

S81	3	S79 same frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:40
S82	3	S79 with frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:29
S83	142	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near6 (server\$1 or host\$1 or node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:03
S84	2	S83 same S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:29
S85	27	S83 same frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:42
S86	16	S83 with frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:31
S87	8	S83 same advant\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:42
S88	6	S83 with advant\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:36
S89	0	S85 same advant\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:39
S90	20	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near6 ((multiple or plurality) near3 (server\$1 or host\$1 or node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:41

S91	0	S90 same frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:40
S92	53	S83 same (multiple or plurality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:10
S93	27	S83 with (multiple or plurality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:42
S94	9	S92 same frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:46
S95	6	S93 with frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:42
S96	2252	(((fibre adj channel) or FC) or (((fibre adj channel adj standard) or FCS)) near6 (server\$1 or host\$1 or node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:45
S97	175	S96 same ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:46
S98	152	S96 with ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:46
S99	37	S97 same frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:12
S10 0	17	S98 with frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 11:58

S10 1	2	S97 same S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:22
S10 2	70	S97 same interface\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:12
S10 3	35	S98 with interface\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:12
S10 4	7	("5109484" "5146568" "5280627" "5367688" "5379431" "5574915" "5913058").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/08 12:14
S10 5	2	S96 same S69	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:22
S10 6	38	(US-20020008427-\$ or US-20020044561-\$ or US-20020010883-\$ or US-20020044562-\$ or US-20020046276-\$ or US-20020054477-\$ or US-20020043877-\$ or US-20020004342-\$ or US-20020129182-\$ or US-20030056048-\$ or US-20020159311-\$).did. or (US-6658504-\$ or US-6115814-\$ or US-5956665-\$ or US-5892973-\$ or US-6061244-\$ or US-6050658-\$ or US-5183749-\$ or US-5814762-\$ or US-5790782-\$ or US-5483423-\$ or US-5313369-\$ or US-6000020-\$ or US-5892954-\$ or US-5933824-\$ or US-6044367-\$ or US-6314488-\$ or US-6330690-\$ or US-6269288-\$ or US-6065053-\$ or US-6122746-\$ or US-5638518-\$ or US-6081847-\$ or US-5136715-\$ or US-5892913-\$ or US-6553036-\$ or US-6061360-\$). did. or (US-6473857-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/06/08 12:48
S10 7	5	S106 and S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:50

S108	3	S106 and S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:50
S109	1	S106 and S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:50
S110	6	S106 and S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/08 12:50
S111	38	(US-20020008427-\$ or US-20020044561-\$ or US-20020010883-\$ or US-20020044562-\$ or US-20020046276-\$ or US-20020054477-\$ or US-20020043877-\$ or US-20020004342-\$ or US-20020129182-\$ or US-20030056048-\$ or US-20020159311-\$).did. or (US-6658504-\$ or US-6115814-\$ or US-5956665-\$ or US-5892973-\$ or US-6061244-\$ or US-6050658-\$ or US-5183749-\$ or US-5814762-\$ or US-5790782-\$ or US-5483423-\$ or US-5313369-\$ or US-6000020-\$ or US-5892954-\$ or US-5933824-\$ or US-6044367-\$ or US-6314488-\$ or US-6330690-\$ or US-6269288-\$ or US-6065053-\$ or US-6122746-\$ or US-5638518-\$ or US-6081847-\$ or US-5136715-\$ or US-5892913-\$ or US-6553036-\$ or US-6061360-\$). did. or (US-6473857-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/07/12 10:48
S112	25	S111 and address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 11:08
S113	2	S111 and (address\$3 near2 decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 11:08

S11 4	20	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near6 ((multiple or plurality) near3 (server\$1 or host\$1 or node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 11:56
S11 5	2	S111 and S114	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:51
S11 6	9	S111 and (((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near6 (server\$1 or host\$1 or node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 11:55
S11 7	4	S111 and (((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near6 server\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:58
S11 8	4	S111 and (((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near6 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 10:59
S11 9	0	S114 and (address\$3 near2 decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 12:00
S12 0	15	S114 and address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 11:46
S12 1	0	S117 and (address\$3 near2 decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 11:08
S12 2	3	S118 and address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 11:12
S12 3	3	S118 and reset\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 11:12

S12 4	4	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near6 (connect\$3 near3 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 11:44
S12 5	0	S124 same address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 11:46
S12 6	52	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near6 address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:54
S12 7	11	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near6 (frame\$1 near3 address\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 12:00
S12 8	0	S127 same ((multiple or plurality) near3 (server\$1 or host\$1 or node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 11:56
S12 9	1	S127 same (server\$1 or host\$1 or node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 11:57
S13 0	0	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near6 (address\$3 near2 decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 12:00
S13 1	0	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near6 (address\$3 near3 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 12:01
S13 2	1	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) same (address\$3 near3 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/12 12:01
S13 3	145	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near6 (server\$1 or host\$1 or node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:17

S13 4	4	S133 same reset\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:17
S13 5	3	S133 with reset\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:04
S13 6	0	(address\$2 near2 decod\$3) near6 ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:06
S13 7	7	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near6 (address\$2 near3 (server\$1 or host\$1 or node\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:08
S13 8	14	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near6 (address\$2 near3 (frame\$1 or packet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:12
S13 9	4	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near6 (address\$2 near3 (field or bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:12
S14 0	56	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near3 (frame\$1 or packet\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:12
S14 1	0	S140 same (address\$2 near3 (field or bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:24
S14 2	16	S140 same address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:26
S14 3	6	S140 with address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:13

S14 4	312	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near6 (server\$1 or host\$1 or node\$1 or device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:23
S14 5	13	S144 same reset\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:17
S14 6	8	S144 with reset\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:23
S14 7	6	("5587685" "5615352" "5822782" "5875456" "6061752" "6085332").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/13 08:17
S14 8	3	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near6 (reset\$4 near3 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:24
S14 9	15	S144 same (address\$2 near3 (field or bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:17
S15 0	11	S144 with (address\$2 near3 (field or bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:26
S15 1	51	S144 same address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:28
S15 2	40	S144 with address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:27
S15 3	5	S145 same address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:29

S15 4	1	S146 with address\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:28
S15 5	6	("5587685" "5615352" "5822782" "5875456" "6061752" "6085332").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/13 08:32
S15 6	26	("5954796").URPN.	USPAT	OR	OFF	2005/07/13 08:33
S15 7	4	("6477139").URPN.	USPAT	OR	OFF	2005/07/13 08:41
S15 8	7	("5337414" "5812754" "5944798" "5954796" "6014383" "6119169" "6260079").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/13 08:42
S15 9	14	("5944798").URPN.	USPAT	OR	OFF	2005/07/13 08:44
S16 0	12	("5175822" "5237660" "5313323" "5471639" "5485576" "5515361" "5535035" "5544326" "5546550" "5757642" "5809328" "5812754").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/13 08:47
S16 1	2	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) near6 (reset\$4 near3 frame\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:54
S16 2	3	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) same (reset\$4 near3 frame\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:56
S16 3	3	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) same (reset\$4 near3 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:54
S16 4	3	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) same (reset\$4 near6 server\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:57
S16 5	2	S144 same (reset\$4 near3 frame\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:56

S16 6	1	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) same (hardware near3 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 08:58
S16 7	13	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) same (reset\$4 near6 (command\$1 or instruction\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 09:44
S16 8	3	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) with (reset\$4 near6 (command\$1 or instruction\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:38
S16 9	70	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) same ((Arbitrated adj Loop adj Physical adj Address) or (AL adj PA))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 09:53
S17 0	0	S169 same server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 09:45
S17 1	1	S169 same reset\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 09:45
S17 2	11	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) same ((receiv\$3 or read\$3 or get\$4 or decod\$3) near6 ((Arbitrated adj Loop adj Physical adj Address) or (AL adj PA)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 09:53
S17 3	1	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) with ((receiv\$3 or read\$3 or get\$4 or decod\$3) near6 ((Arbitrated adj Loop adj Physical adj Address) or (AL adj PA)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 09:47
S17 4	6	("6401128").URPN.	USPAT	OR	OFF	2005/07/13 09:50
S17 5	36	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) with ((Arbitrated adj Loop adj Physical adj Address) or (AL adj PA))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:06

S17 6	31	S169 same (receiv\$3 or read\$3 or get\$4 or decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 09:55
S17 7	3	S175 with (receiv\$3 or read\$3 or get\$4 or decod\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:32
S17 8	2	((Arbitrated adj Loop adj Physical adj Address) or (AL adj PA)) near6 reset\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 09:57
S17 9	29	((Arbitrated adj Loop adj Physical adj Address) or (AL adj PA)) near6 (address\$2 near3 (field or bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 09:58
S18 0	0	S179 same reset\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 09:58
S18 1	4	S179 same server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:06
S18 2	4	S179 with server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 09:58
S18 3	12	("5835723" "5974452" "6081836" "6137799" "6148004" "6209023" "6321255" "6542935" "6681259" "6687755" "6741585" "6772210").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/13 09:59
S18 4	29	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) and (Sun adj Microsystems).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:12
S18 5	20	S184 and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:13

S18 6	1	S185 and reset\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:13
S18 7	23	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) and LSI.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:12
S18 8	16	S187 and server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:13
S18 9	5	S188 and reset\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:13
S19 0	4	S187 and (address\$2 near3 (field or bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:40
S19 1	7	S185 and (address\$2 near3 (field or bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:19
S19 2	6	("5812754" "6052797" "6148417" "6490253" "6671789" "6678839").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/13 10:21
S19 3	3	(reset\$4 near2 server\$1) near6 ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:28
S19 4	3	(reset\$4 near2 server\$1) same ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:28
S19 5	3	(reset\$4 near2 (server\$1 or node\$1 or device\$1)) near6 ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:29

S19 6	15	(reset\$4 near3 (server\$1 or node\$1 or device\$1)) same ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:30
S19 7	6	(reset\$4 near3 (server\$1 or node\$1 or device\$1)) with ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:29
S19 8	663	(server\$1 or node\$1 or device\$1) same ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:30
S19 9	496	(server\$1 or node\$1 or device\$1) with ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:31
S20 0	26	S198 same reset\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:31
S20 1	8	S199 with reset\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:31
S20 2	3	(reset\$4 near3 server\$1) near6 (receiv\$3 near3 frame\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:33
S20 3	7	(reset\$4 near3 server\$1) near6 frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:34
S20 4	220	(reset\$4 near3 (server\$1 or node\$1 or device\$1)) near6 frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:34
S20 5	23	(reset\$4 near3 (server\$1 or node\$1 or device\$1)) near6 (receiv\$3 near3 frame\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:36

S20 6	2966	reset near2 frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:36
S20 7	5	(reset near2 frame\$1) near6 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:37
S20 8	86	(reset near2 frame\$1) near6 (server\$1 or device\$1 or node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:38
S20 9	2	((fibre adj channel adj arbitration adj loop) or (FC adj AL)) same S208	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:22
S21 0	3	((fibre adj channel) or FC) same S208	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 10:39
S21 1	2	S208 same (address\$2 near3 (field or bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 11:46
S21 2	2	("5958064").URPN.	USPAT	OR	OFF	2005/07/13 10:44
S21 3	10	("4356546" "4412281" "4438494" "4503535" "5247664" "5271013" "5325518" "5390326" "5398329" "5440688").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/07/13 10:44
S21 4	12	S208 same address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 11:16
S21 5	3	S208 with address\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 11:17
S21 6	9	((send\$3 or receiv\$3) near3 frame\$1) near6 ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 11:54

S21 7	19	(address\$3 near3 (node\$1 or server\$1 or device\$1)) near6 ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:02
S21 8	0	(frame near2 format) near6 ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:04
S21 9	0	(frame near2 (field\$1 or bit\$1)) near6 ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:03
S22 0	10	(frame near2 (field\$1 or bit\$1)) same ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:20
S22 1	3	(frame near2 format) same ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:04
S22 2	0	(frame near2 format) with ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:04
S22 3	2	(frame near2 (field\$1 or bit\$1)) with ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:04
S22 4	12	(reset\$4 near3 (command or instruction)) same ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:26
S22 5	2	(reset\$4 near3 (command or instruction)) with ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:21
S22 6	0	(receiv\$3 near3 (reset\$4 adj (command or instruction))) near6 (generat\$3 near3 (hardware adj interrupt))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:28

S22 7	0	(receiv\$3 near3 (reset\$4 adj (command or instruction))) same (generat\$3 near3 (hardware adj interrupt))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:28
S22 8	0	(receiv\$3 near3 (reset\$4 adj (command or instruction))) near6 (hardware adj interrupt)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:29
S22 9	0	(receiv\$3 near3 (reset\$4 adj (command or instruction))) near6 (hardware adj interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:29
S23 0	0	(receiv\$3 near3 (reset\$4 adj (command or instruction))) near6 (hardware adj2 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:29
S23 1	0	(receiv\$3 near3 (reset\$4 adj (command or instruction))) same (hardware adj2 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:29
S23 2	0	(receiv\$3 near6 (reset\$4 adj (command or instruction))) same (hardware adj2 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:30
S23 3	1410	(receiv\$3 near6 (reset\$4 near2 (command or instruction)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:37
S23 4	920	(receiv\$3 near6 (reset\$4 adj (command or instruction)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:31
S23 5	66	S234 same interrupt\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:38
S23 6	2	S234 same (reset adj2 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:35

S23 7	17	S234 with interrupt\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:33
S23 8	0	S235 same server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:37
S23 9	6	S235 same frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:34
S24 0	0	S237 with frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:34
S24 1	0	S234 same (hardware adj2 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:38
S24 2	0	S234 same (hardware near2 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:38
S24 3	285	receiv\$3 near6 (reset\$4 near2 frame\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:37
S24 4	4	S243 same server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:37
S24 5	3	S243 with server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:37
S24 6	0	S243 same (hardware adj2 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:38

S24 7	0	S243 same (hardware near2 interrupt\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:38
S24 8	8	S243 same interrupt\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:43
S24 9	5	(reset\$4 near6 server\$1) same (reset adj frame\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 12:45
S25 0	12	(reset\$4 near6 server\$1) near6 frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:03
S25 1	7	(reset\$4 near3 server\$1) near6 frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:04
S25 2	18	(reset\$4 near3 server\$1) near6 (reset adj command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:09
S25 3	46	remote\$2 near3 (server\$1 near2 reset\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:08
S25 4	0	S253 same frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:08
S25 5	0	S253 same (reset adj command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:08
S25 6	30	server\$1 near6 (reset adj command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:30

S25 7	1	S256 same (multiple or plurality)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:10
S25 8	0	(reset adj command) near6 (((fibre adj channel) or FC) near3 (port\$1 or interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:18
S25 9	2	(reset adj command) near6 (((fibre adj channel) or FC) near3 (port\$1 or interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:18
S26 0	17	reset\$4 near6 (((fibre adj channel) or FC) near3 (port\$1 or interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:34
S26 1	7	reset\$4 near6 ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:34
S26 2	87	(reset adj command\$1) near3 address	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:27
S26 3	0	S262 same server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:24
S26 4	3	S262 same node\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:26
S26 5	14	select\$3 near6 (server\$1 near2, reset)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:26
S26 6	21	(reset adj frame) near6 (server\$1 or node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:33

S26 7	138	(connect\$3 near3 server\$1) near6 (((fibre adj channel) or FC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:30
S26 8	0	S267 same (reset adj command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:30
S26 9	20	(connect\$3 near3 server\$1) near6 (((fibre adj channel) or FC) near3 (port\$1 or interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:43
S27 0	1405	reset\$4 near6 server\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:40
S27 1	181	S270 same (command or instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:35
S27 2	91	S270 with (command or instruction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:34
S27 3	3	S271 same ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:34
S27 4	3	S270 same (((fibre adj channel) or FC) near3 (port\$1 or interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:34
S27 5	59	S270 same (reset adj (command or instruction))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:35
S27 6	35	S270 with (reset adj (command or instruction))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:35

S27 7	15	(reset\$4 near3 (server\$1 or device\$1 or node\$1)) same ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:41
S27 8	6	(reset\$4 near3 (server\$1 or device\$1 or node\$1)) with ((fibre adj channel adj arbitration adj loop) or (FC adj AL))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 15:04
S27 9	55	(reset adj (command or instruction)) near6 frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:43
S28 0	39	(reset adj (command or instruction)) near3 frame\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:43
S28 1	2	S279 same (((fibre adj channel) or FC) near3 (port\$1 or interface\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:43